

Linkage to Management Questions – Long Term Perspective

Karin North, City of Palo Alto




2017

San Francisco Bay

BIG, URBANIZED
Area = 4,100 km²



SHALLOW, COMPLEX
Median Depth = 4 m



LARGE WATERSHED
40% of CA






Palo Alto Baylands Dump 1953

Regional Monitoring Program

Partnership to understand the **health** of San Francisco Bay

Celebrating
our 25th year!



Classification of Bay Contaminants

Mercury

PCBs

HIGH CONCERN

Pathogens

Dioxins

Selenium

DDT

Dieldrin

MODERATE CONCERN

Chlordane

PAHs

PFOS

Fipronil

PBDEs

Nonylphenol

USEPA Priority Pollutants

LOW CONCERN

Pharmaceuticals

Acrolein • Acrylonitrile • Benzene • Benzidine • Carbon tetrachloride • Chlorobenzene • 1,2,4-trichlorobenzene • Hexachlorobenzene • 1,2-dichloroethane • 1,1,1-trichloroethane • Hexachloroethane • 1,1-dichloroethane • 1,1,2-trichloroethane • 1,1,2,2-tetrachloroethane • Chloroethane • Bis(2-chloroethyl) ether • 2-chloroethyl vinyl ethers • 2-chloronaphthalene • 2,4,6-trichlorophenol • Parachlorometa cresol • Chloroform • 2-chlorophenol • 1,2-dichlorobenzene • 1,3-dichlorobenzene • 1,4-dichlorobenzene • 3,3-dichlorobenzidine • 1,1-dichloroethylene • 1,2-trans-dichloroethylene • 2,4-dichlorophenol • 1,2-dichloropropane • 1,3-dichloropropylene • 2,4-dimethylphenol • 2,4-dinitrotoluene • 2,6-dinitrotoluene • 1,2-diphenylhydrazine • Ethylbenzene • Fluoranthene • 4-chlorophenyl phenyl ether • 4-bromophenyl phenyl ether • Bis(2-chloroisopropyl) ether • Bis(2-chloroethoxy) methane • Methylene chloride • Methyl chloride • Methyl bromide • Bromoform • Dichlorobromomethane • Chlorodibromomethane • Hexachlorobutadiene • Hexachlorocyclopentadiene • Isophorone • Naphthalene • Nitrobenzene • 2-nitrophenol • 4-nitrophenol • 2,4-dinitrophenol • 4,6-dinitro-*o*-cresol • N-nitrosodimethylamine • N-nitrosodiphenylamine • N-nitrosodi-*n*-propylamine • Pentachlorophenol • Phenol • Di-*n*-butyl Phthalate • Di-*n*-octyl phthalate • Diethyl phthalate • Dimethyl phthalate • Tetrachloroethylene • Toluene • Trichloroethylene • Vinyl chloride • Aldrin • Alpha-endosulfan • Beta-endosulfan • Endosulfan sulfate • Endrin • Endrin aldehyde • Alpha-BHC • Beta-BHC • Gamma-BHC • Delta-BHC • Toxaphene • Antimony • Arsenic • Asbestos • Beryllium • Cadmium • Chromium • Copper • Cyanide • Lead • Nickel • Silver • Thallium • Zinc

Acetaminophen • Albuterol • Alprazolam • Amitriptyline • 10-hydroxy-amitriptyline • Amlodipine • Amphetamine • Atenolol • Atorvastatin • Azithromycin • Benzoylcegonine • Benzotropine • Betamethasone • Caffeine • Carbadox • Carbamazepine • Cefotaxime • Cimetidine • Ciprofloxacin • Clarithromycin • Clinafloxacin • Clonidine • Cloxacillin • Cocaine • Codeine • Cotinine • Dehydronifedipine • Desmethyldiltiazem • Diazepam • Digoxigenin • Digoxin • Diltiazem • 1,7-Dimethylxanthine • Diphenhydramine • Enalapril • Enrofloxacin • Erythromycin-H2O • Flumequine • Fluocinonide • Fluoxetine • Fluticasone propionate • Furosemide • Gemfibrozil • Glipizide • Glyburide • Hydrochlorothiazide • Hydrocodone • Hydrocortisone • Ibuprofen • Ibuprofen, 2-hydroxy- • Lincomycin • Lomefloxacin • Meprobamate • Metformin • Methylprednisolone • Metoprolol • Miconazole • Naproxen • Norfloxacin • Norfluoxetine • Norgestimate • Norverapamil • Ofloxacin • Ormetoprim • Oxacillin • Oxolinic acid • Oxycodone • Paroxetine • Penicillin G • Penicillin V • Prednisolone • Prednisone • Promethazine • Propoxyphene • Propranolol • Ranitidine • Roxithromycin • Sarafloxacin • Sertraline • Simvastatin • Sulfachloropyridazine • Sulfadiazine • Sulfadimethoxine • Sulfamerazine • Sulfamethazine • Sulfamethizole • Sulfamethoxazole • Sulfanilamide • Sulfathiazole • Theophylline • Thiabendazole • Trenbolone • Trenbolone acetate • Triamterene • Trimethoprim • Tylosin • Valsartan • Verapamil • Virginiamycin • Warfarin

Pyrethroids*

Allethrin • Bifenthrin • Cyfluthrin • Cyhalothrin • Cypermethrin • Deltamethrin • Esfenvalerate/Fenvalerate • Fenpropathrin • Oxadiazon • Permethrin • Phenothrin • Phosmet • Resmethrin • Tetramethrin

Personal Care Product Ingredients

N,N-diethyl-m-toluamide (DEET) • Celestolide • Galaxolide • Tonalide • Versalide • Musk ambrette • Musk ketone • Musk moskene • Musk xylene • Di-*n*-butyl phthalate • Triclocarban • Triclosan • Octylphenol

Polybrominated dioxins and furans (PBDD/Fs)

1,3,7-TriBDD • 1,2,4,8-TetraBDD • 2,3,7,8-TetraBDD • 1,2,3,7,8-PentaBDD • 1,2,3,4,7,8/1,2,3,6,7,8-HexaBDD • 1,2,3,7,8,9-HexaBDD • OctaBDD • 2,3,7,8-TetraBDF • 1,2,3,7,8-PentaBDF • 2,3,4,7,8-PentaBDF • 1,2,3,4,7,8-HexaBDF • 1,2,3,4,6,7,8-HeptaBDF • OctaBDF

Flame Retardants

Hexabromocyclododecane

Specific Regulations Addressed by the RMP

303d Listings

NPDES Permits

Nutrient Watershed Permit

CEC Action Plans

Copper SSO Implementation Plan

Selenium TMDL

Mercury TMDL

PCBs TMDL

Mercury and PCBs Watershed Permit



Achieving Our Goal

RMP Impacts on Management Decisions

**National/State
Scale**

Product phase outs
Identifying high risk CECs

Regional Scale


TMDLs for PCBs, Hg, Se
Fish Consumption Advisories
Nutrient Management Strategy

Local Scale

Ambient sediment and water
concentrations for permitting



Silver in Clams in the San Francisco Bay




Contaminants of Emerging Concern

Pesticides



PFOS
PFAS



PBDEs &
Flame
Retardants

RMP Focus on CECs

- 10+ years of monitoring and studies
 - Primarily ambient water, sediment, biota
 - Some wastewater and stormwater
- 2013 CEC Synthesis and Strategy
 - Added non-targeted analysis, bioanalytical tools
- 2017 Strategy Revision



Management Questions

Which CECs have the potential to adversely impact beneficial uses in San Francisco Bay?

What are the sources, pathways, loadings, and processes leading to CEC pollution in the Bay?

Have the concentrations of CECs in the Bay increased or decreased?

Which management actions may be effective in reducing CEC levels?



Risk Tiers



**MODERATE
OR HIGH IMPACT**

High probability of moderate or high level effect on Bay wildlife



LOW IMPACT

High probability of low level effect on Bay wildlife



NO IMPACT

High probability of no effect on Bay wildlife



UNCLEAR

Uncertainty in Bay levels or toxic thresholds



Monitoring Strategy

TIER 4
HIGH
CONCERN

Studies to support Total Maximum Daily Load (TMDL) or alternatives

TIER 3
MODERATE
CONCERN

Trends monitoring and/or fate, effects, and sources and loadings studies

TIER 2
LOW
CONCERN

Periodic ambient and/or source trend screening

TIER 1
POSSIBLE
CONCERN

Ambient and source screening



Management Strategy

TIER 4
HIGH
CONCERN

303(d) list → TMDL or alternative(s)

TIER 3
MODERATE
CONCERN

Action plan or strategy

- Aggressive pollution prevention
- Seek product or chemical alternatives

TIER 2
LOW
CONCERN

Track product use and market trends
Easy, low-cost source identification
and pollution prevention actions

TIER 1
POSSIBLE
CONCERN

Identify and prioritize potential CECs
Develop bio and chemistry methods






**MODERATE
OR HIGH IMPACT**

None currently



LOW IMPACT

PFOS
Fipronil
Nonylphenol



NO IMPACT

PBDEs and HBCD
Pyrethroids*
Pharmaceuticals and
Personal Care Products
PBDDs and PBDFs



UNCLEAR

Alternative Flame Retardants
PFAS (Fluorinated Chemicals)
Pesticides, Plasticizers
Microplastic
PCB 11, PHCZs, others

Management Actions: Moderate Concern (Tier III)





Regional CEC Action Plans:

- Source identification
- Source control identification and evaluation
- Track product use and market trends
- Communication and outreach
- Monitoring/study strategy
- Track recovery
- **Referral to other regulatory authority(s)**



PBDE Recovery



Shiner Surfperc



Alternative Flame Retardants



PBDE replacements detected in consumer products and San Francisco Bay led to management actions:

California
Bureau
of Home
Furnishings




- ✓ TB117-2013: New standard for foam furniture, exemptions for baby products
- ✓ SB 1019: Furniture labeling law



PFOS Recovery



South Bay
Harbor seals
PFOS in Serum
(ng/g or ng/mL)



TIER 3
MODERATE
CONCERN


Microplastics

TIER 1
POSSIBLE
CONCERN

- 10:1 leveraging of RMP \$\$
- Sampling underway for
 - Water
 - Sediment
 - Prey Fish
- RMP testing for MP in bivalves funded for 2018



Microplastic Study Budget, \$1M total




Microplastic

2015 Bay
study levels
higher than:

- Great Lakes
- Chesapeake
- Salish Sea

Sutton et al. 2016



Microplastic: Broader Impacts



Policy:

- Federal **Microbead-Free Waters Act** signed into law (2015)

Funding:

- Gordon & Betty Moore Foundation 2-year, \$880,000 grant for further study
- Guided by RMP Microplastic Monitoring and Science Strategy




Triclosan



Fact Sheet: Triclosan
April 2011
SFEI Contribution No. 633
www.sfei.org/rmp

REGIONAL MONITORING PROGRAM
FOR WATER QUALITY IN THE SAN FRANCISCO ESTUARY




Palo Alto and other SF Bay wastewater agencies

- Consumer education
- Purchasing



Triclosan




2016: FDA bans triclosan and 18 other antibacterials from hand & body washes



Other uses may be addressed via DTSC:

- **Safer Consumer Products Program** (Green Chemistry)

Pharmaceuticals



Support for extended producer responsibility:

- RMP data for Senate hearings, council meetings, boards of supervisors
- 2016-2017 testing by wastewater agencies




Leveraging Resources

- Partnership with other organizations
 - Department of Toxic Substances Control
 - Department of Pesticide Regulations
 - Pro bono academic projects
- Alternative Monitoring Permit – provides RMP with extra funding for CECs (\$235,000)
- Supplemental Environmental Projects (Enforcement) funding possible



Keys to RMP's Success

Forum for Collaboration



Clear Objectives




Adaptability



Long Range Planning



Stable Funding



A vision for the future





Thank you

For more information:

Karin.north@cityofpaloalto.org